(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 5 August 2004 (05.08.2004)

PCT

(10) International Publication Number WO 2004/065655 A1

- (51) International Patent Classification⁷: C23C 14/04, 16/02, 16/04, 16/26, 16/56
- (21) International Application Number:

PCT/US2003/000832

- (22) International Filing Date: 13 January 2003 (13.01.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

- (71) Applicant: NANTERO, INC. [US/US]; 25-D Olympia Avenue, Woburn, MA 01801 (US).
- (72) Inventors: WARD, Jonathan, W.; 824 Arboretum Way, Burlington, MA 01803 (US). RUECKES, Thomas; 82 Myrtle Street #2, Boston, MA 02114 (US). SEGAL, Brent, M.; 8 Prospect Avenue #1, Woburn, MA 01801 (US).
- (74) Agents: DICHIARA, Peter, M. et al.; Hale and Dorr LLP, 60 State Street, Boston, MA 02109 (US).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

[Continued on next page]

(54) Title: METHODS OF USING THIN METAL LAYERS TO MAKE CARBON NANOTUBE FILMS, LAYERS, FABRICS, RIBBONS, ELEMENTS AND ARTICLES



(57) Abstract: Methods of using thin metal layers to make Carbon Nanotube Films, Layers, Fabrics, Ribbons, Elements, and Articles are disclosed. Carbon nanotube growth catalyst is applied onto a surface of a substrate, including one or more thin layers of metal. The substrate is subjected to a chemical vapor deposition (160) of a carbon-containing gas to grow a non-woven fabric of carbon nanotubes. Portions of the non-woven fabric are selectively removed according to a defined pattern to create the article. A non-woven fabric of carbon nanotubes may be made by applying carbon nanotube growth catalyst onto a surface of a wafer substrate to create a dispersed monolayer of catalyst. The substrate is subjected to a chemical vapor deposition of a carbon-containing gas to grow a non-woven fabric of carbon nanotubes in contact and covering the surface of the wafer and in which the fabric has a substantially uniform density.